



Air Filter

Features

- ▶ Design for Heavy Duty Application
- ▶ Minimum Pressure Drop
- ▶ Easy Installation

Technical Specification

Model	AF-MD-6	AF-MD-10	AF-MD-15
Size	1/4"	3/8"	1/2"
Pressure	10 Kg/cm ² (max.)		
Temperature	50 °C (max.)		
Flow SCFM at 5 Bar	25	40	70
Bowl Capacity	45 MI.		
Media	Compressed air		
Weight	0.374	0.409	0.372



No.	Part Name	Material
1	Body	Aluminum Pressure Die Cast
2	Flat Ring	NBR
3	Deflector	Nylon
4	Filter Element	Poly Porous (25 Micron)
5	Guide	Nylon
6	Baffle	Nylon
7	Drain Cock Set	Nylon
8	Bowl Guard	Nylon
9	Bowl	POLY Carbonate
10	'O' Ring	NBR


Air Regulator

Features

- ▶ Design for Heavy Duty Application
- ▶ High Flow Capacity
- ▶ Durable Design

Technical Specification

Model	AR-MD-6	AR-MD-10	AR-MD-15
Size	1/4"	3/8"	1/2"
Inlet Pressure	10 Kg/cm ² (max.)		
Outlet Pressure	0 to 8 Kg/cm ² (max.)		
Temperature	50 °C (max.)		
Adjusting Setting	Turn 'T' Type Key Clock wise to increase pressure		
Flow SCFM at 5 Bar	40	65	100
Media	Compressed Air		
Weight (Approx.)	0.472	0.471	0.461



No.	Part Name	Material
1	'T' Type Knob	Steel Plated
2	Check Nut	Brass
3	Bonnet Cover	Aluminum Pressure Die Cast
4	Spring Guide	Steel Plated
5	Spring	Spring Steel
6	Panel Ring	Aluminum / Nylon
7	Piston	Polycetal
8	Body	Aluminum Pressure Die Cast
9	Plunger with Rubber Moulded	Brass / Aluminum
10	Spring	S. S.
11	Bottom Plug	Nylon
12	'O' Ring	NBR
13	'V' Seal	NBR

